




Surge protection device (SPD) type 2+3 Class I 10kV  
To be installed at max 10 m distance to protect against overvoltage

IP rating	IP 67
Weight	0.1 kg
Conformity	CE UK CA

# ACCESSORIES SPD

## 1965

### FIXTURES RELATED

 <b>PROTO</b>  <b>4935</b>	 <b>IANUS URBAN</b> 1X - BURIABLE  <b>7081</b>	 <b>IANUS URBAN</b> 2X - BURIABLE  <b>7082</b>	 <b>IANUS URBAN</b> 1X - WITH BASE  <b>7083</b>
 <b>IANUS URBAN</b> 2X - WITH BASE  <b>7084</b>	 <b>PROTO</b>  <b>4936</b>	 <b>PROTO STRADA</b>  <b>4937</b>	 <b>PROTO STRADA</b>  <b>4938</b>
 <b>AREO</b>  <b>5572</b>	 <b>AREO</b>  <b>5573</b>	 <b>AREO DUO</b>  <b>5575</b>	 <b>AREO DUO</b>  <b>5576</b>
 <b>ROOK</b> H 280  <b>7011</b>	 <b>ROOK</b> H 480  <b>7012</b>	 <b>ROOK</b> H 780  <b>7013</b>	 <b>ROOK</b> H 1030  <b>7014</b>
 <b>ROOK 180°</b> H 280  <b>7016</b>	 <b>ROOK 180°</b> H 480  <b>7017</b>	 <b>ROOK 180°</b> H 780  <b>7018</b>	 <b>ROOK 180°</b> H 1030  <b>7019</b>
 <b>FLUTE</b> H 680  <b>7021</b>	 <b>FLUTE</b> H 880  <b>7022</b>	 <b>FLUTE</b> H 1180  <b>7023</b>	 <b>FLUTE URBAN</b> H 2680 BURIABLE  <b>7031</b>

