



Driver per collegamento in parallelo

INPUT 220-240V / OUTPUT 24V DC

Potenza	<b>60 W</b>
Alimentazione	<b>24 Vdc</b>
Grado di protezione IP	<b>IP 67</b>
Peso	<b>0.45 kg</b>
Conformità	<b>CE UK CA</b>

# ACCESSORI DRIVER 24V – 60W

## 1925

### PRODOTTI CORRELATE

<p>STAMP GLASS</p>  <p>5331</p>	<p>STAMP POST GLASS H 300</p>  <p>5374</p>	<p>STAMP POST GLASS H 600</p>  <p>5375</p>	<p>RGBW CLOCK 80</p>  <p>1186</p>
<p>RGBW CLOCK 120</p>  <p>1187</p>	<p>PASSUM UP Ø 70 ALLUMINIO</p>  <p>1412</p>	<p>PASSUM UP Ø 70 ALLUMINIO</p>  <p>1413</p>	<p>PASSUM UP Ø 70 INOX</p>  <p>1491</p>
<p>PASSUM SIDEWARDS Ø 70 ALLUMINIO</p>  <p>1415</p>	<p>PASSUM SIDEWARDS Ø 70 ALLUMINIO</p>  <p>1416</p>	<p>PASSUM UP Ø 70 INOX</p>  <p>1494</p>	<p>PASSUM SIDEWARDS Ø 70 INOX</p>  <p>1481</p>
<p>PASSUM SIDEWARDS Ø 70 INOX</p>  <p>1484</p>	<p>RGBW PASSUM 125</p>  <p>1462</p>	<p>RGBW PASSUM 180</p>  <p>1464</p>	<p>PASSUM DOWNLIGHT Ø 70</p>  <p>1470</p>
<p>RGBW PASSUM 245</p>  <p>1482</p>	<p>SQUEEZE UP 59</p>  <p>1451</p>	<p>SQUEEZE 77 1X70°</p>  <p>1453</p>	<p>SQUEEZE 77 2X70°</p>  <p>1454</p>
<p>SQUEEZE 77 4X70°</p>  <p>1455</p>	<p>SQUEEZE 180 1X70°</p>  <p>1457</p>	<p>SQUEEZE 180 2X70°</p>  <p>1458</p>	<p>SQUEEZE 180 4X70°</p>  <p>1459</p>

<p>DART Ø 35</p> <p>1634</p>	<p>DART Ø 35 OPALE</p> <p>1636</p>	<p>DART Ø 55 – 24V</p> <p>1654</p>	<p>DART Ø 55 OPALE – 24V</p> <p>1656</p>
<p>DART SIDE Ø 40 1X</p> <p>1641</p>	<p>DART SIDE Ø 40 2X</p> <p>1643</p>	<p>DART SIDE Ø 60 1X – 24V</p> <p>1662</p>	<p>DART SIDE Ø 60 2X – 24V</p> <p>1664</p>
<p>DART SPOT Ø 27</p> <p>1613</p>	<p>DART SPOT Ø 30</p> <p>1615</p>	<p>DART SPOT Ø 46</p> <p>1617</p>	<p>DART SPOT Ø 49</p> <p>1619</p>
<p>DART STEM Ø 30 H 350</p> <p>1671</p>	<p>DART STEM Ø 30 H 650</p> <p>1672</p>	<p>DART STEM Ø 49 H 500</p> <p>1683</p>	<p>DART STEM Ø 49 H 900</p> <p>1684</p>
<p>CLOCK RGBW 80</p> <p>1186</p>	<p>CLOCK RGBW 120</p> <p>1187</p>		